

AIChE Journal Vol. 65 (2019)

The effect of hydrodynamic parameters on the production of Pickering emulsions in a baffled stirred tank

Abdulrasaq, UK., Ayranci, I., UNSP e16691

Classification and identification of gas-liquid dispersion states in a jet bubbling reactor

Shuai, Y., Zhang, P., Guo, XY., Wang, XY., Huang, ZL., Yang, Y., Sun, JY., Lie, M., Jiang, Y., Ma, J., Wang, JD., Yang, YR., UNSP e16778

New invasive image velocimetry applicable to dense multiphase flows and its application in solid-liquid suspensions

Wang, HL., Li, XY., Mao, ZS., Yang, C., UNSP e16668

Dual mechanism model for fluid particle breakup in the entire turbulent spectrum

Karimi, M., Andersson, R., UNSP e16600

Convection in a Krogh cylinder: Putting back fluid flow in the extravascular tissue

Qiu, XJ., Sane, N., Neogi, P., UNSP e16720

Measuring gas hold-up in gas-liquid/gas-solid-liquid stirred tanks with an electrical resistance tomography linear probe

AU Forte, G., Alberini, F., Simmons, MJH., Stitt, EH., UNSP e16586

Counter-rotating vortex shedding generated by acoustic excitations in confined mixing layers

Zhao, W., Wang, GR., UNSP e16577

On the steady-state drop size distribution in stirred vessels. Part II: Effect of continuous phase viscosity

De Hert, SC., Rodgers, TL., UNSP e16556

Formation of heart-shaped cavern model in stirring pseudoplastic fluid with the impeller of perturbed six-bend-blade turbine

Luan, DY., Chen, YM., Wang, H., Wang, ZR., Wang, SS., Li, LB., issue 5

Design and characterization of a Low-pressure-drop static mixer

Hosseini, SM., Razzaghi, K., Shahraki, F., pp. 1126-1133

Intensification of liquid-liquid two-phase mass transfer in a capillary microreactor system

Li, GX., Pu, X., Shang, MJ., Zha, L., Su, YH., pp. 334-346

Canadian Journal of Chemical Engineering Vol. 97 (2019)

Impeller power draw during turbulent operation in solid-liquid suspensions

Myers, KJ., Janz, EE., Bao, TX., Heigel, MM., pp. 2662-2670

Single drop breakup in turbulent flow

Komrakova, AE., pp. 2727-2739

Synthesis of ZSM-5 by hydrothermal method with pre-mixing in a stirred-tank reactor

Sun, BC., Kang, YY., Shi, Q., Arowo, M., Luo, Y., Chu, GW., Zou, HK., pp. 3063-3073

Ultrasound assisted wet stirred media mill of high concentration LiFePO₄ and catalysts

Li, H., Rostamizadeh, M., Mameri, K., Boffito, DC., Saadatkhah, N., Rigamonti, MG., Patience, GS., pp. 2242-2250

Application of extended quadrature method of moments for simulation of bubbly flow and mass transfer in gas-liquid stirred tanks

Askari, E., Lemieux, GSP., Proulx, P., pp. 2548-2564

Vortex shape and gas-liquid hydrodynamics in unbaffled stirred tank

Prakash, B., Bhatelia, T., Wadnerkar, D., Shah, MT., Pareek, VK., Utikar, RP., pp. 1913-1920

A new approach to model the influence of stirring intensity on ethanol production by a flocculant yeast grown on cashew apple juice
Pereira, AD., Pinheiro, ADT., Rocha, MVP., Goncalves, LRB., Cartaxo, SJM., pp. 1253-1262

Micromixing efficiency in a multiphase reactor with a foam block stirrer
Yang, YC., Yu, XH., Yu, QJ., Yang, SY., Arowo, M., pp. 1560-1567

Study of fluid dynamic conditions in the selected static mixers part III-research of mixture homogeneity
Stec, M., Synowiec, PM., pp. 995-1007

Mixing in a soft-elastic reactor (SER): A simulation study
Li, CY., Xiao, J., Zhang, Y., Chen, XD., pp. 676-686

A study on liquid-liquid dispersions in a continuous mixer via computational fluid dynamics (CFD) simulation combined with population balance model (PBM)
Tang, Q., Ye, SS., Wang, YD., Liu, ZH., pp. 452-464

Mixing in an agitated tubular reactor
AU Derksen, JJ., pp. 523-527

Numerical investigation of flow regimes in T-shaped micromixers: Benchmark between finite volume and spectral element methods
Galletti, C., Mariotti, A., Siconolfi, L., Mauri, R., Brunazzi, E., pp. 528-541

CFD modelling of conjugate heat transfer in a pilot-scale unbaffled stirred tank reactor with a plain jacket
Bentham, EJ., Heggs, PJ., Mahmud, T., pp. 573-585

Nusselt number correlation for a jacketed stirred tank using computational fluid dynamics
Daza, SA., Prada, RJ., Nunhez, JR., Castilho, GJ., pp. 586-593

Chemical Engineering Communications Vol. 206 (2019)

Investigation of crystal growth of borax in single and dual impeller batch cooling crystallizer
Cosic, M., Celan, A., Pehcec, I., Kuzmanic, N., 847-860

Numerical simulation of geometry effect on mixing performance in L-shaped micromixers
Zare, P., Talebi, S., 585-597

TI Investigation of impeller modification and eccentricity for non-Newtonian fluid mixing in stirred vessels
Yavuz, N., Sandeep, KP., 318-332

Chemical Engineering Journal Vol. 362-378 (2019)

Enhanced aeration efficiency in non-Newtonian fluids using coaxial mixers: High-solidity ratio central impeller with an anchor
Jegatheeswaran, S., Kazemzadeh, A., Ein-Mozaffari, F., vol. 378, DI 10.1016/j.cej.2019.122081

Study of Polycyclic Aromatic Hydrocarbon formation during acetylene pyrolysis in a jet-stirred-reactor and numerical investigations of residence time distribution using CFD simulations
Bensabath, T., Monnier, H., Bardin-Monnier, N., Glaude, PA., vol. 377, DI 10.1016/j.cej.2018.10.181

Dispersion and hydrogenation property of nano-Ni in ethanol solution in a stirring tank reactor
Dong, K., Pei, XK., Chu, GW., Zou, HK., Luo, Y., Zhang, LL., Sun, BC., Chen, JF., vol. 377, DI 10.1016/j.cej.2018.08.212

Bubble induced turbulence model improved by direct numerical simulation of bubbly flow
Feng, X., Yang, C., Mao, ZS., Lu, JC., Tryggvason, G., vol. 377, DI 10.1016/j.cej.2018.09.162

PIV and dynamic LES of the turbulent stream and mixing induced by a V-grooved blade axial agitator
Gonzalez-Neria, I., Alonzo-Garcia, A., Martinez-Delgadillo, SA., Mendoza-Escamilla, VX., Yanez-Varela, JA., Verdin, PG.,

Rivadeneira-Romero, G., vol. 374, pp. 1138-1152

Using the full turbulence spectrum for describing droplet coalescence and breakage in industrial liquid-liquid systems: Experiments and modeling

Castellano, S., Carrillo, L., Sheibat-Othman, N., Marchisio, D., Buffo, A., Charton, S., vol. 374, pp. 1420-1432

Mixing processes in a 3D printed large-flow microstructured reactor: Finite element simulations and experimental study

Li, XT., Jiang, F., Ravindra, AV., Zhou, JW., Zhou, A., Le, TQX., Peng, JH., Ju, SH., vol. 370, pp. 295-304

Surface vortex formation and free surface deformation in an unbaffled vessel stirred by on-axis and eccentric impellers

Yamamoto, T., Fang, Y., Komarov, SV., vol. 367, pp. 25-36

A comparative study of continuous operation between a dynamic baffle crystallizer and a stirred tank crystallizer

Liu, YQC., Dunn, D., Lipari, M., Barton, A., Firth, P., Speed, J., Wood, D., Nagy, ZK., vol. 367, pp. 278-294

Mixing process of two miscible fluids in a lid-driven cavity

Huang, FL., Wang, DF., Li, ZP., Gao, ZM., Derksen, JJ., vol. 362, pp. 229-242

Mixing efficiency of a rotor-stator spinning disc extractor

Wang, YB., Li, J., Jin, Y., Luo, JH., Chen, M., Yan, C., vol. 362, pp. 357-363

Effect of vortex on mass transport and mixing in microcapillary channels

Feng, XS., Ren, YK., Sun, HZ., Chen, XM., Zhang, KL., Jia, YK., Hou, LK., Xiao, MY., Jiang, HY., vol. 362, pp. 442-452

Chemical Engineering and Processing: Process Intensification Vol. 136-141 (2019)

On the mixing enhancement in concentrated non-colloidal neutrally buoyant suspensions of rigid particles using helical coiled and chaotic twisted pipes: A numerical investigation

Dbouk, T., Habchi, C., vol. 141, DOI 10.1016/j.cep.2019.107540

Process intensification of stirred pulp-mixing in flotation

Li, Z., Zhao, CQ., Zhang, HQ., Liu, JT., Yang, C., Xiong, SX., vol. 138, pp. 55-64

Numerical study of mixing in wavy micromixers: comparison between raccoon and serpentine mixer

Mondal, B., Mehta, SK., Patowari, PK., Pati, S., vol. 136, pp. 44-61

Chemical Engineering Research and Design Vol. 142-152 (2019)

Digital and lean development method for 3D-printed reactors based on CAD modeling and CFD simulation

Bettermann, S., Kandelhard, F., Moritz, HU., Pauer, W., vol. 152, pp. 71-84

Aggregation in mixing tanks - The role of inter-particle forces

Lim, JW., Derksen, JJ., vol. 152, pp. 278-287

Heat transfer coefficient in internal mixers for different polymers and processing conditions

Marinho, VAD., Cesario, LV., Costa, ARM., Carvalho, LH., Almeida, TG., Canedo, EL., vol. 152, pp. 466-473

Using PLIF/PIV techniques to investigate the reactive mixing in stirred tank reactors with Rushton and pitched blade turbines

Taghavi, M., Moghaddas, J., vol. 151 pp. 190-206

Effect of residence time and energy dissipation on drop size distribution for the dispersion of oil in water using KMS and SMX plus static mixer

Forte, G., Brunazzi, E., Alberini, F., vol. 148, pp. 417-428

Effects of turbulence modeling on the prediction of flow characteristics of mixing non-Newtonian fluids in a stirred vessel

Wang, P., Reviol, T., Ren, HK., Bohle, M., vol. 147, pp. 259-277

Comparative analysis on floc morphological evolution in cylindrical and square stirred-tank flocculating reactors with or without baffles:

Flocculation-test and CFD-aided investigations

He, WP., Lu, WJ., Xu, SR., Huang, ML., Li, HQ., vol. 147, pp. 278-291

RANS-based predictions of dense solid-liquid suspensions in turbulent stirred tanks

Maluta, F., Paglianti, A., Montante, G., vol. 147, pp. 470-482

Experimental and numerical investigation on mixing of dilute oil in water dispersions in a stirred tank

Naeeni, SK., Pakzad, L., vol. 147, pp. 493-509

Turbulent statistics of flow fields using large eddy ID simulations in batch high shear mixers

Vikash., Kumar, V., vol. 147, pp. 561-569

Power consumption prediction in a coalescent liquid in mechanically agitated gas-liquid reactors

Petricek, R., Moucha, T., Kracik, T., Haidl, J., vol. 147, pp. 644-647

Prediction of volumetric mass transfer coefficient in mechanically and pneumatically agitated contactors

Kracik, T., Moucha, T., Petricek, R., vol. 147, pp. 664-667

Mitigation of scale formation in unbaffled stirred tanks-experimental assessment and quantification

Davoody, M., Graham, LJW., Wu, J., Witt, PJ., Madapusi, S., Parthasarathy, R., vol. 146, pp. 11-21

Formation of Fe₃O₄@ZrO₂ nanocomposite and its performance as a magnetic adsorbent for phosphate uptake: Influences of end-point pH and stirring rate during synthesis process

Fang, WK., Wang, Z., Xie, Q., Liu, Y., Wu, DY., vol. 145, pp. 194-202

Effect of gas distributor on gas-liquid dispersion and mass transfer characteristics in stirred tank

Liu, BQ., Xiao, Q., Sun, N., Gao, PF., Fan, FY., Sunden, B., vol. 145, pp. 314-322

Mass transfer intensification of 2-methyl-5-nitrotetrazole synthesis in two-phase liquid-liquid Taylor flow in microreactor

Abiev, RS., Pavlyukova, YN., Nesterova, OM., Svetlov, SD., Ostrovskii, VA., vol. 144, pp. 444-458

Volumetric mass transfer coefficient for carbon monoxide in a dual impeller stirred tank reactor considering a perfluorocarbon-water mixture as liquid phase

Coelho, FMB., Botelho, AM., Ivo, OF., Amaral, PFF., Ferreira, TF., vol. 143, pp. 160-169

Generalizing the effects of the baffling structures.. on the buoyancy-induced turbulence in secondary settling tanks with eleven different geometries using CFD models

Gao, HW., Stenstrom, MK., vol. 143, pp. 215-225

Mixing of highly concentrated slurries of large particles: Applications of electrical resistance tomography (ERT) and response surface methodology (RSM)

Kazemzadeh, A., Ein-Mozaffari, F., Lohi, A., vol. 143, pp. 226-240

Effect of zoning on mixing and mass transfer in dual agitated gassed vessels

Jamshed, A., Cooke, M., Rodgers, TL., vol. 142, pp. 237-244

Mixing performance in Split-And-Recombine Milli-Static Mixers-A numerical analysis

Habchi, C., Ghanem, A., Lemenand, T., Della Valle, D., Peerhossaini, H., vol. 142, pp. 298-306

A DEM model-based study to quantitatively compare the effect of wet and dry binder addition in high-shear wet granulation processes

Tamrakar, A., Chen, SW., Ramachandran, R., vol. 142, pp. 307-326

Frequency analysis of torque variation of a rotationally reciprocating impeller using newtonian and viscoelastic fluids

Komoda, Y., Tomimasu, F., Hidema, R., Suzuki, H., vol. 142, pp. 327-335

- Characterization of power input and its impact on mass transfer in a rocking disposable bioreactor
Bai, Y., Moo-Young, M., Anderson, WA., vol. 209, DI 10.1016/j.ces.2019.115183
- Mixing viscoplastic fluids in stirred vessels over multiple scales: A combined experimental and CFD approach
Russell, AW., Kahouadji, L., Mirpuri, K., Quarmby, A., Piccione, PM., Matar, OK., Luckham, PF., Markides, CN., vol. 208, DI 10.1016/j.ces.2019.07.047
- Experimental investigation on solid suspension performance of coaxial mixer in viscous and high solid loading systems
Xu, ZL., Jin, ZJ., Liu, BQ., Bengt, S., vol. 208, DI 10.1016/j.ces.2019.08.002
- Experimental investigation of a two-zone model for semi-batch precipitation in stirred-tank reactors
Rehage, H., Nikq, F., Kind, M., vol. 207, pp. 258-270
- Linking power and flow in rotor-stator mixers
John, TP., Panesar, JS., Kowalski, A., Rodgers, TL., Fonte, CP., vol. 207, pp. 504-515
- Single-bubble fragmentation in a mechanically stirred liquid bath under trailing vortex conditions
Yamamoto, T., Komarov, SV., vol. 207, pp. 1007-1016
- Numerical and experimental evaluation of droplet breakage of O/W emulsions in rotor-stator mixers
Gallassi, M., Goncalves, GFN., Botti, TC., Moura, MJB., Carneiro, JNE., Carvalho, MS., vol. 204, pp. 270-286
- A comparison of power and flow characteristics between batch and in-line rotor-stator mixers
John, TP., Fonte, CP., Kowalski, A., Rodgers, TL., vol. 202, pp. 481-490
- Large-eddy simulation and 3D proper orthogonal decomposition of the hydrodynamics in a stirred tank
Janiga, G., vol. 201, pp. 132-144
- Second-order sensitivity coefficient based electrical tomography imaging
Ding, ML., Yue, SH., Li, J., Wang, YR., Wang, HX., vol. 199, pp. 40-49
- Mechanism of small bubble breakup in an unbaffled stirred vessel
Yamamoto, T., Fang, Y., Komarov, SV., vol. 197, pp.26-36
- Extrapolation of DEM simulations to large time scale. Application to the mixing of powder in a conical screw mixer
Bednarek, X., Martin, S., Ndiaye, A., Peres, V., Bonnefoy, O., vol. 197, pp. 223-234
- The use of computational fluid dynamics to predict the turbulent dissipation rate and droplet size in a stirred autoclave
Booth, CP., Leggoe, JW., Aman, ZM., vol. 196, pp. 433-443
- Measurement of droplet breakage in a pump-mixer
Zhou, H., Yu, X., Jing, S., Zhou, H., Lan, WJ., Li, SW., vol. 195, pp. 23-38
- Combination of axial dispersion and velocity profile in parallel tanks-in-series compartment model for prediction of residence time distribution in a wide range of non-ideal laminar flow regimes
Fazli-Abukheyli, R., Darvishi, P., vol. 195, pp. 531-540

Chemical Engineering & Technology Vol. 42 (2019)

- Numerical Investigation of Degassing Behavior of Highly Viscous Non-Newtonian Fluids under Stirring
Ma, QL., Shang, CL., Zhang, GJ., Fang, HS., DI 10.1002/ceat.201900269
- Power Input Prediction in Agitated Gas-Liquid Contactors with Non-coalescent Batch
Kracik, T., Moucha, T., Petricek, R., pp. 2673-2680
- Estimation of $k(L)a$ Values in Bench-Scale Stirred Tank Reactors with Self-Inducing Impeller by Multiphase CFD Simulations
Santos-Moreau, V., Lopes, JCB., Fonte, CP., pp. 1545-1554
- Simulation of Turbulent Emulsification in a Sonolator Mixer: Interpretation of Drop Breakage Time

Bagkeris, I., Michael, V., Prosser, R., Kowalski, A.J., pp. 1555-1565

Plant Fiber Processing Using the Controlled Deformation Dynamic Mixer
Harvey, DHS., Mothersdale, T., Shchukin, D., Kowalski, A.J., pp. 1566-1573

Dispersion and Phase Separation of Water-Oil-Amphiphile Systems in Stirred Tanks
Hohl, L., Roder, V., Kraume, M., pp. 1574-1586

Suspension and Mixing Characterization of Intermittent Agitation Modes in DASGIP Bioreactors
Samaras, J.J., Micheletti, M., Ducci, A., pp. 1587-1593

Blend Time Measurement in the Confined Impeller Stirred Tank
Jairamdas, K., Bhalariao, A., Machado, M.B., Kresta, S.M., pp. 1594-1601

Assessing Blending of Non-Newtonian Fluids in Static Mixers by Planar Laser-Induced Fluorescence and Electrical Resistance Tomography
Forte, G., Albano, A., Simmons, M.J.H., Stitt, H.E., Brunazzi, E., Alberini, F., pp. 1602-1610

Solid Dissolution and Liquid Mixing in Turbulent Stirred Tanks
Montante, G., Carletti, C., Maluta, F., Paglianti, A., pp. 1627-1634

Influence of Mixing on the Precipitation of Organic Nanoparticles: A Lagrangian Perspective on Scale-up Based on Self-Similar Distributions
Schikarski, T., Trzenschiok, H., Avila, M., Peukert, W., pp. 1635-1642

Quantitative Measurements of the Critical Impeller Speed for Solid-Liquid Suspensions
Ye, G.C., Nienow, A.W., Alberini, F., pp. 1643-1653

Flow Compartments in Viscoelastic Fluids Using Radial Impellers in Stirred Tanks
Kolano, M., Kraume, M., pp. 1670-1679

Modeling Emulsification in Static Mixers: Equilibrium Correlations versus Population Balance Equations
Lebaz, N., Sheibat-Othman, N., pp. 1691-1701

Optimization of the Impeller Design for Mesenchymal Stem Cell Culture on Microcarriers in Bioreactors
Loubiere, C., Delafosse, A., Guedon, E., Toye, D., Chevalot, I., Olmos, E., pp. 1702-1708

Three-Dimensional Observation of Single Air Bubble Breakup in a Stirred Tank
Krakau, F., Kraume, M., pp. 1357-1370

Enhanced Droplet Size Control in Liquid-Liquid Emulsions Obtained in a Wire-Guided X-Mixer
Bangjang, T., Cherkasov, N., Denissenko, P., Jaree, A., Rebrov, E.V., pp. 1053-1058

Mixing of Oil in Water Through Electrical Resistance Tomography and Response Surface Methodology
Mirshekari, F., Pakzad, L., pp. 1101-1115

Effect of Particle Image Velocimetry Setting Parameters on Local Velocity Measurements in an Agitated Vessel
Sulc, R., Ditl, P., Jasikova, D., Kotek, M., Kopecky, V., Kysela, B., pp. 827-834

Numerical Simulation of Sterilization Processes for Shear-Thinning Food in Taylor-Couette Flow Systems
Masuda, H., Hubacz, R., Shimoyamada, M., Ohmura, N., pp. 859-866

Comparison of Oil-in-Water Emulsion between Ultrasonic Irradiation and Mechanical Stirring
Sumitomo, S., Ueta, M., Uddin, M.A., Kato, Y., pp. 381-387

Effect of Reynolds Number on Laminar Mixing in an Annular Tube Combining Two Crossed Secondary Flows
Bouvier, P., Andre, C., Russeil, S., pp. 100-108

3D Mixing Dynamics in T-Jet Mixers
Sultan, M.A., Pardilho, S.L., Brito, M.S.C.A., Fonte, C.P., Dias, M.M., Lopes, J.C.B., Santos, R.J., pp. 119-128

Chinese Journal of Chemical Engineering Vol. 27 (2019)

Numerical and experimental analyses of a stirred vessel for a large volumetric flow rate of sparged air
Bombac, A., Pinar, J., pp. 2304-2312

Effects of geometrical and physical factors on light particles dispersion by agitation characteristic curve
Li, M., Tan, YB., Liu, YF., Sun, JL., Xie, D., Liu, Z., pp. 2313-2324

Numerical study on solid suspension characteristics of a coaxial mixer in viscous systems
Liu, BQ., Xu, ZL., Xiao, Q., Huang, BL., pp. 2325-2336

Characterization of mixing in an optimized designed T-T mixer with cylindrical elements
Dundi, TM., Raju, VRK., Chandramohan, VP., pp. 2337-2351

CFD study on double- to single-loop flow pattern transition and its influence on macro mixing efficiency in fully baffled tank stirred by a Rushton turbine
Zhu, QH., Xiao, H., Chen, AQ., Geng, SJ., Huang, QS., pp. 993-1000

Simulation of drop breakage in liquid-liquid system by coupling of CFD and PBM: Comparison of breakage kernels and effects of agitator configurations
Xie, R., Li, J., Jin, Y., Zou, D., Chen, M., pp. 1001-1014

Torque and bending moment acting on a flexible shaft agitated by disk turbines in a gas-liquid stirred vessel
Liang, YY., Gao, ZM., Shi, DE., Li, HT., Bao, YY., Cai, ZQ., pp. 781-793

Experimental study and simulation of a three-phase flow stirred bioreactor
Zheng, CH., Guo, JS., Wang, CK., Chen, YF., Zheng, HD., Yan, ZY., Chen, QG., pp. 649-659

Drawdown mechanism of light particles in baffled stirred tank for the KR desulphurization process
Li, M., Tan, YB., Sun, JL., Xie, D., Liu, Z., pp. 247-256

Experimental study of power consumption, local characteristics distributions and homogenization energy in gas-liquid stirred tank reactors
Qiu, FC., Liu, ZH., Liu, RL., Quan, XJ., Tao, CY., Wang, YD., pp. 278-285

Chaotic characteristics of pseudoplastic fluid induced by 6PBT impeller in a stirred vessel
Luan, DY., Chen, YM., Wang, H., Wang, Y., Wei, X., pp. 293-297

Industrial & Engineering Chemistry Research Vol. 58 (2019)

Experimental and Computational Investigation of Mixing and Separation Performance in a Liquid-Liquid Cyclone Reactor
Duan, SQ., Meng, XH., Zhang, R., Liu, HY., Xu, J., Du, W., Xu, CM., Liu, ZC., pp. 23317-23329

Influence of Dispersed-Phase Viscosity on Droplet Breakup in a Continuous Pump-Mixer
Zhou, H., Yang, JJ., Jing, S., Lan, WJ., Zheng, Q., Li, SW., pp. 23458-23467

Numerical Investigation and Estimating Correlation of Micromixing Performance of Coaxial Mixers
Liu, BQ., Sun, N., Jin, ZJ., Zhang, YK., Sundén, B., pp. 22376-22388

Mixing of Jet Gas with Catalyst Particles in Fluid Catalytic Cracking Risers
Yan, ZH., Fan, YP., Lu, CX., Xu, CM., pp. 21323-21330

Visual Study on the Interphase Mass Transfer of Immiscible Liquid-Liquid System in a Stirred Tank
Du, XX., Duan, XX., Yang, C., pp. 21785-21796

Mixing Performance of an Inline High-Shear Mixer with a Novel Pore-Array Liquid Distributor

