

検索雑誌名

JOURNAL OF CHEMICAL ENGINEERING OF JAPAN

<http://jcej.jstage.jst.go.jp/cgi-bin/rs.cgi?FID=0010020&LANGUAGE=ja>

Trans. IChemE (Chemical Engineering Research and Design)

<http://fiordiliji.catchword.com/vl=7149844/cl=16/nw=1/rpsv/catchword/iceme/02638762/contp1-1.htm>

Chemical Engineering Science

<http://www.elsevier.nl/inca/publications/store/2/1/5/index.htm> または

http://www.sciencedirect.com/science?_ob=JournalURL&_issn=00092509&_auth=y&_acct=C000000593&_version=1&_urlVersion=0&_userid=2735&md5=a9f275de9078837a91eabf74d5ced4f9

AIChE Journal

<http://www.aiche.org/aichejournal/> または

http://www.sciencedirect.com/science?_ob=JournalURL&_cdi=7006&_version=1&_urlVersion=0&_userid=0&md5=d36441509e6f937165578deaa0cabdbb&sb=n

Industrial & Engineering Chemistry Research

<http://pubs.acs.org/journals/iecred/> または

<http://pubs3.acs.org/acs/journals/toc.page?incoden=iecred>

Canadian Journal of Chemical Engineering

<http://www.cjche.ca/journal/published.html>

Chemical Engineering & Technology**化学工学論文集**

<http://www.jstage.jst.go.jp/browse/kakoronbunshu/-char/ja/>

本年度も従来に従い上記の雑誌より検索しました。論文リストは2004年のものを掲載しております。各雑誌のWebによる検索が可能なように各HPのURLも紹介しておきました。また、ここに掲載した論文はすべて所持していますのでご一報いただければ送付可能です。

名古屋工業大学 加藤禎人
2005.4.18

JOURNAL OF CHEMICAL ENGINEERING OF JAPAN**Mixing Characteristics in a Conical Taylor?Couette Flow System at Low Reynolds Numbers**

Naoto Ohmura, Mohamed Nabil Noui-Mehidi, Kenji Sasaki, Kazuhiro Kitajima and Kunio Kataoka

Vol. 37 (2004), No. 4, 546-550

Gas Induced Injection of Liquid Inhibitor Agents

Horst Grafmans and Artur Steiff

Vol. 37 (2004), No. 8, 933-940

The Effect of Off-bottom Clearance on Macro Instabilities in a Stirred Vessel

Nobuo Matsuda, Yutaka Tada, Setsuro Hiraoka, Shaoxiang Qian and Hiroshi Takeda

Vol. 37 (2004), No. 10, 1215-1223

Rapid Micromixing Based on Multilayer Laminar Flows

Yoshiko Yamaguchi, Kazuya Ogino, Kenichi Yamashita and Hideaki Maeda

Vol. 37 (2004), No. 10, 1265-1270

Prediction of Continuous Phase Axial Mixing in Rotating Disc Contactors

Thanapalan Murugesan and Iyyasami Regupathi

Vol. 37 (2004), No. 10, 1293-1302

Effects of Instantaneous Slip Velocity and Solute Distribution on the Dissolution Process of Crystal Particles in a Stirred Vessel

Ryuta Misumi, Naoki Nakamura, Kazuhiko Nishi and Meguru Kaminoyama

Vol. 37 (2004), No. 12, 1452-1460

Performance Characteristics of a Stirred-Tank Reactor with a Mechanical Foam-Breaker Utilizing Shear Force

Satoshi Takesono, Masayuki Onodera, Masanori Yoshida, Kazuaki Yamagiwa and Akira Ohkawa

Vol. 37 (2004), No. 12, 1488-1496

Transactions IChemE Part A(Chemical Engineering Research and Design)

Spinning Cones as Pumps, Degassers and Level Controllers in Mechanically Stirred Tanks

M.Cooke, P.J.Heggs, A.Eaglesham and D.Housley
Vol.82, No.6, (2004) 719-729

Simulation of Flow Generated by an Axial-Flow Impeller : Batch and Continuous Operation
A.R.Khopkar, P.Mavros, V.V.Ranade and J.Bertrand
Vol.82, No.6, (2004) 737-751

Numerical Simulation of Turbulent Flow Characteristics in a Stirred Vessel using the LES and RANS Approaches with the Sliding/Deforming Mesh Methodology
S.L.Yeoh, G.Papadakis and M.Yianneskis
Vol.82, No.6, (2004) 834-848

The Versatility of Up-pumping Hydrofoil Agitators
A.W.Nienow and W.Bujalski
Vol.82, No.9(2004) 1073-1081

Suspension of Microcarriers for Cell Culture with Axial Flow Impellers
S.Ibrahim and A.W.Nienow
Vol.82, No.9(2004) 1082-1088

A Strategy for Solving a Mathematical Model of Barium Sulphate Precipitation in a Continuous Stirred Tank Reactor
Z.Jaworski and A.W.Nienow
Vol.82, No.9(2004) 1089-1094

Bubble Size Distribution and Void Fraction in the Wake Region Below a Ventilated Gas Cavity in Downward Pipe Flow
G.M.Evans, P.M.Machniewski and A.K.Bin
Vol.82, No.9(2004) 1095-1104

A mechanics Model to Estimate Power Consumption and Mixing Time in Aluminum Industries
F.Chiti, A.Paglianti and W.Bujalski
Vol.82, No.9(2004) 1105-1111

Computer Simulation Study on the Interaction Between a PVC Model Molecule and Ca(OH)₂ Excited Under Mechanical Force
K.Mizukami, T.Ito, S.Saeki, Q.Zhang, F.Saito and H.Ryu
Vol.82, No.9(2004) 1112-1116

Mixing Effects in Silver Halide Precipitation: Linking Theory with Practice Using a Multi-Mechanism Model
S.M.Kresta, G.L>Anthieren and K.Parsiegla
Vol.82, No.9(2004) 1117-1136

Product and Formulation Engineering of Emulsions
H.Schubert and Engel
Vol.82, No.9(2004) 1137-1143

Bioreactor Retrofitting to Avoid Aeration with Oxygen in Pichia Pastoris Cultivation Processes for Recombinant Protein Production
M.Jenzsch, M.Lange, J.Baer, J.U.Rahfeld and A.Luebbert
Vol.82, No.9(2004) 1144-1152

Surface Feed with Minimum By-product Formation for Competitive Reactions
S.Bhattacharya and S.M.Kresta
Vol.82, No.9(2004) 1153-1160

Gas-Liquid Mass Transfer: Influence of Sparger Location
R.Sardeing, J.Aubin, M.Poux and C.Xuereb
Vol.82, No.9(2004) 1161-1168

Modeling of Turbulence in Stirred vessels Using Large Simulation
A.Bakker and L.Oshinowo
Vol.82, No.9(2004) 1169-1178

Liquid Homogenization Characteristics in Vessels Stirred with Multiple Ruston Turbines Mounted at Different Spacings:
CFD Study and Comparison with Experimental Data
G.Montante and F.Magelli
Vol.82, No.9(2004) 1179-1187

On Spatial and Temporal Variations and Estimates of Energy Dissipation in Stirred Reactors
M.Micheletti, S.Baldi, S.L.Yeoh, A.Ducci, G.Rapadakis, K.C.Lee and M.Yianneskis
Vol.82, No.9(2004) 1188-1198

Time-periodic Mixing of Shear-thining Fluids
G.Ascolio, S.Foucault and P.A.Tanguy
Vol.82, No.9(2004) 1199-1203

CFD Simulation of Particle Suspension Height in Stirred Vessels
G.Micale, F.Grisafi, L.Rizzuti and A.Brucato
Vol.82, No.9(2004) 1204-1213

A Study of Reynolds Stresses, Triple Products and Turbulence States in Radially Stirred Tank with 3-D Laser Anemometry
C.Galletti, E.Brunazzi, S.Pintus, A.Paglianti and M.Yianneskis
Vol.82, No.9(2004) 1214-1228

Batch Stirred Vessel Mixing Evaluated by Visualized Reactive Tracers and Electrical Tomography

E.Wabo, M.Kagoshima and R.Mann
Vol.82, No.9(2004) 1229-1236

Measurement of Particle Impact Frequencies and Velocities on Impeller Blades in a Mixing Tank
K.C.Kee and C.D.Rielly
Vol.82, No.9(2004) 1237-1249

An Impedance Probe for the Measurements of Flow Characteristics and Mixing Properties in Stirred Slurry Reactors
E.Brunazzi, C.Galletti, A.Paglianti and S.Pintus
Vol.82, No.9(2004) 1250-1257

Particle Tracking in Opaque Mixing Systems: An Overview of the Capabilities of PET and PEPT
M.Barigou
Vol.82, No.9(2004) 1258-1267

Force Effects of the Macro-instability of Flow Pattern on Radial Baffles in a Stirred Vessel with Pitched-blade and Rushton Turbine Impellers
P.Hasal, I.Fort and J.Kratena
Vol.82, No.9(2004) 1268-1281

Review Paper Measurement of Power Consumption in Stirred Vessels – a Review
G.Ascanio, B.Castro and E.Galindo
Vol.82, No.9(2004) 1282-1290

Chemical Engineering Science

Mixing in a fluid jet agitated tank: effects of jet angle and elevation and number of jets
H.D.Zughbi and M.A.Rakib
59(2004), 829-842

Analysis of a new type of high pressure homogeniser. A Study of the flow pattern
J.Floury, J.Bellettre, J.Legrand and A.Desrumaux
59(2004), 843-853

Microdynamic analysis of the particle flow in a cylindrical bladed mixer
Y.C.Zhou, A.B.Yu, R.L.Stewart and J.Bridgwater
59(2004), 1343-1364

Segregated region in continuous laminar stirred tank reactors
P.E.Arratia, J.P.Lacombe, T.Shinbrot and F.J.Muzzio
59(2004), 1481-1490

Two-colour laser induced fluorescence for the quantification of micro- and macromixing in stirred vessels
K.Kling and D.Mewes
59(2004), 1569-1576

Characterisation of impeller driven and oscillatory mixing by spatial and temporal shear rate distributions
C.M.Cheow, R.I.Ristic, G.K.Reynolds and R.C.Ooi
59(2004), 1557-1568

Multi-scale modeling of a reactive mixing process in a semibatch stirred tank
Lars Vicum, S.Ottiger, M.Mazzotti, L.Makowski and J.Baldyga
59(2004), 1767-1781

Theoretical prediction of gas-liquid mass transfer coefficient, specific area and hold-up in sparged stirred tanks
F.Garcia-Ochoa and E.Gomez
59(2004), 2489-2501

Conjugate heat and mass transfer process within porous media with dielectric cores in microwave freeze drying
H.Wu, Z.Tao, G.Chen, H.Deng, G.Xu and S.Ding
59(2004), 2921-2989

New approach to the formulation of hydrogel beads by emulsification/thermal gelation using a static mixer
E.Belyaeva, D.D.Valle, R.J.Neufeld and D.Poncelet
59(2004), 2913-2920

Dispersion coefficients and settling velocities of solids in slurry vessels stirred with different types of multiple impellers
D.Pielle, G.Montante and F.Magelle
59(2004), 3081-3089

Reynolds number effects in a simple planetary mixer
M.J.Clifford, S.M.Cox and M.D.Finn
59(2004), 3371-3379

Residence time distribution of solid particles in a continuos, high-aspect ratio multiple-impeller stirred vessel
F.Scargiali, F.Grisafi, J.Cermakova, V.Machon and A.Brucato
59(2004), 3601-3618

Mixing analysis in a tank stirred with Ekato Intermig impellers
E.S.Szalai, P.Arratia, K.Johnson and F.J.Muzzio
59(2004), 3793-3805

Characterization of Trailing Vortices Generated by a Rushton Turbine
R.Escudie, D.Bouyer and A.Line
50, No.1, (2004) , 75-86

Experimentally-validated Micromixing-Based CFD for Fed-Batch Stirred Tank Reactors
O.Akiti and P.M.Armenante
50, No. 3, (2004) , 566-577

Flow in an Impeller-Stirred Tank Using an Immersed-Boundary Method
R.Verzicco, F.Fatoca, G.Iaccarino and P.Orlandi
50, No.6, (2004) , 1108-1119

Dynamical System in Pin Mixers of Single-Screw Extruders
W.R.Hwang, K.W.Kang and T.H.Kwon
50, No.7, (2004) , 1372-1385

Dunamic Flow in a Kenics Static Mixer: An Assesment of Various CFD Method
W.F.C. van Wageningen, D. Kandhai, R.F.Mudde and H.E.A. van den Akker
50, No.8, (2004) , 1684-1696

Reynolds Number and Impeller Diameter Effects on Instabilities in Stirred Vessels
C.Galletti, A.Paglianti, K.C.Lee and M.Yianneskis
50, No.9, (2004) , 2050-2063

Experimental Analysis of Floc Size Distribution under Different Hydrodynamics in a Mixing Tank
D.Bouyer, A.Line and Z.Do-Quang
50, No.9, (2004) , 2064-2081

Effect of Waveforms on Morphology Development in Chaotic Mixing of Polymers
M.Sau and S.C.Jana
50, No.9, (2004) , 2346-2357

Numerical Study of Scalar Mixing in Curved Channels at Low Reynolds Numbers
S.P.Vanka, G.Luo and C.M.Winkler
50, No.10, (2004) , 2359-2368

Macroinstability Uncovered in aRushton Turbine Stirred Tank by Means of LES
H.Hartmann, J.J.Derkens and H.E.A. van den Akker
50, No.10, (2004) , 2383-2393

Industrial & Engineering Chemistry Research

Mass Transfer Characteristics of Surface Aerators and Gas-Inducing Impellersystem
S.S.Patil, N.A.Deshmukh and J.B.Joshi
43, (2004) 2765-2774

Canadian Journal of Chemical Engineering

Experimental Study of Influence of the Impeller Spacing on Flow Behaviour of Double-Impeller Stirred Tank
S.Xueming L.Xiaoling and L.Yulin
81(12), (2003), 1239-1245

LDA Measurements on a Turbulent Gas/Liquid/Fibre Suspension
J.Petterson and A.Rasmussen
82(4), (2004) 265-274

The Two-Phase Flow in an Axially Stirred Vessel Investigated Using Phase-Doppler Anemometry
M.Ljungqvist and A.Rasmussen
82(4), (2004), 275-288

Some Characteristics of Stirred Vessel Flows of Dilute Polymer Solutions Powered by a Hyperboloid Impeller
A.S.Cavadas and F.T.Pinho
82(4), (2004), 289-302

A Laboratory Reactor for Gas-Phase Olefin Polymerization
T.M.Mannan, H.Hammawa, D.T.Lynch and S.E.Wanke
82(4), (2004), 371-381

Chemical Engineering & Technology

Power Consumption in Agitated Vessels with Dual Rushton Turbines: Baffle Length and Impeller Spacing Effects
J.Markopoulos, E.Babalona and E.Tsiliopoulou
27(11), (2004), 1212-1215

化学工学論文集

振動式混合装置“VIBRO MIXERR” の混合特性
大村直人, 小村崇信, 宮本 稔, 布施正憲, 谷口 徹, 片岡邦夫
Vol. 30 (2004), No. 1, 1-6

傾斜パドル翼を備えた攪拌槽の液自由表面渦深さに及ぼす翼および邪魔板寸法の影響

亀井 登, 平岡節郎, 加藤慎人, 多田 豊, 山崎桂子

Vol. 30 (2004), No. 1, 105-107

邪魔板のある攪拌槽における液自由表面形状の推定法

相田真男, 望月雅文

Vol. 30 (2004), No. 3, 376-380

通気量がきわめて多い場合の通気攪拌操作

西尾 拓, 高橋幸司, 渋谷純一, 的場誠二

Vol. 30 (2004), No. 5, 721-725

邪魔棒を備えた乱流攪拌槽の所要動力

亀井 登, 平岡節郎, 加藤慎人, 多田 豊, 山本洋祐

Vol. 30 (2004), No. 5, 738-743

気液固攪拌槽における浮遊化限界動力の推定法

相田真男, 城田大吾, 岩崎重雄, 望月雅文

Vol. 30 (2004), No. 6, 835-839